



NOTES:(EXIST SERVICES)

- 1.0 THE POSITION AND LEVEL OF ALL EXISTING SERVICES TO BE CONFIRMED WITH THE ENGINEER BEFORE ANY CONSTRUCTION WORKS CAN COMMENCE.
- 2.0 THE REFERENCE PEGS GIVEN ARE TO BE USED EXCLUSIVELY FOR THIS CONSTRUCTION PROJECT.
- 3.0 THE CONTRACTOR MUST SECURE THE ABOVEMENTIONED REFERENCE PEGS AND TAKE THE NECESSARY STEPS TO PROTECT THEM FOR FUTURE USE.
- 4.0 NO TREES WILL BE DAMAGED OR REMOVED WITHOUT THE WRITTEN APPROVAL OF THE ENGINEER.
- 5.0 ALL EXISTING SERVICES TO BE PROTECTED AND TO BE RESTORED TO THE ORIGINAL CONDITION AS FOUND BY THE CONTRACTOR BEFORE THE CONSTRUCTION OF THE NEW PROPOSED CIVIL SERVICES.
- 6.0 ALL THE NECESSARY PRECAUTIONS MUST BE UNDERTAKEN TO REDUCE DUST AND NOISE POLLUTION.
- 7.0 ALL CONSTRUCTION WORKS TO BE SUFFICIENTLY MARKED AND SECURED TO INSURE PUBLIC PROTECTION AND SAFETY.
- 8.0 ALL WORKS TO BE DONE IN ACCORDANCE WITH SABS 1200.

SEWER NOTES:

- 1.0 FINAL MANHOLE COVER LEVELS:
- 1.1 IN ROAD RESERVE TO BE IN WITH THE FINAL ROAD RESERVE FROM LEVELS AND CAMBERS.
- 1.2 OUTSIDE ROAD RESERVE 200mm HIGHER THAN FINISHED GROUND LEVELS.
- 2.0 WHERE THE PROPOSED SEWER SYSTEM CROSSES OR CONNECTS TO EXISTING SERVICES WORK COMMENCES.
- 3.0 MANHOLE COVER OPENING UP TO 100mm TO BE CENTRAL OVER MANHOLES ON THE DOWNWARD STREAM SIDE.
- 4.0 REFER TO THE DETAIL DRAWING FOR ALL RELEVANT DETAILS.
- 5.0 SEWER CONNECTIONS TO BE END-CAPPED AND MARKED.
- 6.0 CONFIRM DEPTH AND POSITION OF ALL EXISTING SERVICES WITH THE ENGINEER BEFORE CONSTRUCTION COMMENCES.
- 7.0 APPROPRIATE AUTHORITY OFFICIALS TO BE PRESENT WITH THE CROSSING OF OR THE CONNECTION TO ANY EXISTING SERVICE.
- 8.0 CONNECT TO EXISTING MANHOLES AS INDICATED ON PLAN.

SEWER SPECIFICATIONS:

- 1.0 SEWER PIPES:
- 1.1 PIPES TO BE 150mm Ø UPVC CLASS 34 PIPES TO BE LAID ON CLASS C BEDDING.
- 2.0 MANHOLE COVER AND FRAMES: HEAVY DUTY DUCTILE IRON WITH HINGE IN COMPLIANCE WITH EN 124 D400. SAMPLE TO BE PROVIDED FOR APPROVAL.
- 3.0 CALCANTITE STEPPED JOINTS TO BE USED WHERE REQUIRED.
- 4.0 MANHOLES:
- 4.1 PRECAST CONCRETE RING MANHOLES AS PER DETAIL.
- 4.2 MANHOLES TO BE WATER TIGHT.

REVISION:		
No.	DATE	DESCRIPTION

FOR TENDER

LEGEND:

- Foul Sewer Pipe Exst.
- Foul Sewer MH Exst.
- Foul Sewer Pipe
- Foul Sewer Manhole
- Foul Sewer Conn. Point
- Water Pipe - Domestic
- Water Valve
- Sewer Ext. Septic Tanks

PROJECT:
VAALHOEK, O'KIEP, SEWER RETICULATION NETWORK

DRAWING TITLE:
PROPOSED SEWER LAYOUT

CLIENT:
NAMA KHOI MUNICIPALITY
 4 Namakwa Street
 SPRINGBOK, 6240

RAIBICON CONSULTING GROUP
 Call: 021 718 2273 PO Box 767
 #@raibicon.com SPRINGBOK, 6240

Graeme McGill consulting
 Call: 021 550 9168 PO Box 310 Private Bag X1
 graeme@mcgillconsulting.co.za KLEINMOND, 7195

DRAWN/DESIGNED BY: C BENEKE **APPROVED BY:** GA McGill, Pr Eng No. 780269

DATE: 2024-10-10

SCALE: 1:500 (A0)

DRAWING NO: MC444-C902

REVISION: 1